POPULATION ESTIMATES -		- LONG-TERM CARE		LOCAL HEALTH DEPART	MENTS
Total 2003 Population 3	l as HSRS re	Options and MA eports costs for	servi ces	Staffing - FTE Number Total staff 15.0	Per 10,000 Population 4.0
Age Female Male 0-14 2,950 3,060 0 15-19 1,160 1,270 20-24 840 890	2) 45   COP	Clients 23  *  8 81 82 118 18 ury 3	Costs \$175, 959 \$424, 424 \$1, 581, 371 \$882, 071	• •	0.5 1.2 1.0 1.3 Per capi ta
30-34 950 1,030 35-39 1,270 1,280 2 40-44 1,560 1,600	3, 100   Total COF	118 ury 3 Wvrs 333	\$78, 413 \$155, 944 \$3, 775, 309	Total \$909, 381 Local Taxes \$277, 099	\$24 <sup>'</sup> . 28 \$7. 40
45-54 3, 030 3, 040 6 55-64 2, 420 2, 430	6, 060 4, 850 \$194, 99	91 of the above	waiver costs	LI CENSED ESTABLI SHN	
65-74 2,000 1,960 75-84 1,270 1,030 3 85+ 580 280	3,960 were paid 2,300 using COI 860 not inclu 7,460	d as local match funds. This a uded in above CC costs reported	/overmatch mount is P costs.	Type Capacity Bed & Breakfast 45 Camps 1,668 Hotels, Motels 3,084 Tourist Rooming 508 Pools	Facilities 11 3 35 4 182 8 182
0-17 3, 650 3, 820 18-44 5, 820 6, 120 1	Total i ncl ude 7, 500 1 930	federal funding	Costs	Pools Restaurants Vendi ng	20 348 8
05+ 5,650 5,270	7, 460	and 12 are not provided		WIC PARTICIPANTS	
Poverty Estimates for 2000		are not provided	i ili coulity)	WIC PARTICIPANTS	
Estimate (C.I. All ages 2,719 7.4% ( Ages 0-17 703 8.6% (	.+/-) 194 7%) 84 12%) Note: Eliq will be Waivers	gible and waitin phased into the as available.	g clients COP and MA	Pregnant/Postpartum Infants Children, age 1-4 Total	Number 308 301 404 1,013
EMPLOYMENT				CANCER INCIDENCE (2	2002)
Average wage for jobs covered by unemployment compensation \$20 (place of work)	Patients	th Agencies per 10,000 pop.	444 119	Pri mary Si te Breast Cervi cal Col orectal	48 2 22
Labor Force Estimates Ave	erage Nursing Ho	omes beds / rate s on Dec.31	3 315 88. 9% 268	Lung and Bronchus Prostate Other sites Total	35 42 106 255
Civilian Labor Force 20 Number employed 19 Number unemployed Unemployment rate	1, 410 Resi dents 6. 8% per 1, 00	s age 65 or olde 00 population	r l	Note: Totals shown are for invasive cancers only.	

PAGE 2

Second of four pages

	. – – – – – – –		NATA	ALLTY				
TOTAL LIVE BIRTHS		301	Birth Order	Bi rths	Percent	Marital Status		
TOTAL ETTE BITATIO		001	First	142	47	of Mother	Bi rths	Percent
Crude Live Birth Rate	7	8. 0	Second	92	31	Marri ed	215	71
General Fertility Rat		46. 2	Thi rd	47	16	Not married	86	29
General Tertifity Nat		40. 2	Fourth or higher	20	7	Unknown	0	0
Live hirths with repo	ortod		Unknown	0	ó	UTIKITOWIT	U	U
Live births with repo	n teu	7 2 20/	ULIKLIOWLI	U	U	Education		
congeni tai anomai res		1 2.3%				Education of Mother	Bi rths	Percent
Dalingary True	D:	D	1-t Deserted West	D: .adla.a	D			
Delivery Type		Percent	1st Prenatal Visit	BILLINS	Percent	Elementary or le	SS 2	1
Vagi nal after previ ous cesarean Forceps		4	1st trimester 2nd trimester 3rd trimester No visits Unknown	2/1	90	Some high school	20	7
_previous cesarean	3	1	2nd trimester	25	8	High School	118	39
Forceps	1	<. 5	3rd trimester	4	1	Some college	76	25
Other vagi nal	232 43	77	No visits	1	<. 5	High school Some college College graduate	85	28
Primary česarean	43	14	Unknown	0	0	Unknown	0	0
Repeat cesarean	22	7						
•			Prenatal Visits		Percent	Smoking Status		
Bi rthwei ght	Bi rths	Percent	No visits	1	<. 5	of Motȟer	Bi rths	Percent
			1-4	4	1	Smoker	59	20
<1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	15	5. 0	5-9	42	14	Nonsmoker	242	80
2, 500+ gm	285	94. 7	10-12	122	41	Unknown		0
Unknown	0	0	13+	132	44	<b>3</b>	· ·	· ·
or in a rount	Ū	ŭ	Unknown	0	Ö			
			Low Birthweight		Tri mest	ter of First Prenata	l Visit	
			(under 2.500 am)	1st Tr	imester	2nd Trimester	Other/	Unknown
Race/Ethni ci ty	Births F	Percent	Births Percent	Bi rths	Percent	Births Percent	Bi rths	Percent
White	289	96	16 5 5	2		2	2	
	789			262	91	22 8	5	,
Black/Afr American	289 1	< 5	10 5.5 *	262 *	91	2nd Tri mester Births Percent 22 8	5 *	2
Black/Afr. American	269 1 2	<. 5 1	* . * .	262 * *	91	22 8 * . *	5 * *	
Black/Afr. American American Indian	289 1 2 7	<. 5 1	* . * .	*	•	* .	5 * *	
Black/Afr. American American Indian Hispanic/Latino	289 1 2 7	<. 5 1 2	*	* 6	91 86	22 8 * . * . 1 14	5 * *	
BI ack/Afr. Ameri can Ameri can Indi an Hi spani c/Lati no Laoti an/Hmong	289 1 2 7 0	<.5 1 2 0	* . * . 	*	•	* .	5 *	
BI ack/Afr. Ameri can Ameri can Indi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown	289 1 2 7 0 2	<.5 1 2 0 1	*	* 6	•	* .	5 *	2
BI ack/Afr. Ameri can Ameri can Indi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown	289 1 2 7 0 2	<.5 1 2 0 1	* : 	* 6	: 86 : :	* : 1 14 : :	* *	2 : : : : :
BI ack/Afr. Ameri can Ameri can Indi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown	1 2 7 0 2	<.5 1 2 0 1	* . * . Low Birthweight	* 6 *	86 Tri mest	* . 1 14  * . ter of First Prenata	* * I Visit	: : : :
BI ack/Afr. Ameri can Ameri can Indi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown	1 2 7 0 2 F€	<.5 1 2 0 1 	*	* 6 : * 1	 86 Tri mest i mester	* . 1 14 * . ter of First Prenata 2nd Trimester	*	: : :  Unknown
BI ack/Afr. Ameri can Ameri can I ndi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown  Age of Mother	1 2 7 0 2  Fe Bi rths	<.5 1 2 0 1	* . * . Low Birthweight	* 6 : * 1	86 Tri mest	* . 1 14 ter of First Prenata 2nd Trimester	*	: : : :
BI ack/Afr. Ameri can Ameri can I ndi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown  Age of Mother <15	1 2 7 0 2  Fe Bi rths 0	<.5 1 2 0 1 	*	* 6 *  1st Tr Bi rths	86 Tri mest i mester Percent	* . 1 14 * . ter of First Prenata 2nd Trimester	*	: : :  Unknown
Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17	1 2 7 0 2  Fe Bi rths 0 5	<.5 1 2 0 1 	*	* 6 * 1st Tr Bi rths 5	86 Tri mest i mester Percent	*	*  I Visit Other/ Births	: :  Unknown Percent :
Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19	1 2 7 0 2  Fe Bi rths 0 5 21	<.5 1 2 0 1 	*	* 6 .* 1st Tr Bi rths 5 16	86 Tri mest i mester Percent 100 76	*	* I Visit Other/ Births	: : : Unknown Percent : : 10
Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24	1 2 7 0 2 	<.5 1 2 0 1 	*	* 6 * 1st Tr Bi rths 5 16 53	86 Tri mest i mester Percent 100 76 79	*	*  I Visit Other/ Births 2	: : : : : : Unknown Percent : : 10 1
Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29	1 2 7 0 2 	<.5 1 2 0 1 	*	* 6 .* 1st Tr Bi rths 5 16 53 84	86 	*	* I Visit Other/ Births	: : : Unknown Percent : : 10
Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34	1 2 7 0 2 	<.5 1 2 0 1 	*	* 6 .* 1st Tr Bi rths 5 16 53 84 84	86 	*	*  I Visit Other/ Births 2	: : : : : : Unknown Percent : : 10 1 1
Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	1 2 7 0 2 	<.5 1 2 0 1 	*	* 6 .* 1st Tr Bi rths 5 16 53 84 84 24	86 	*	*  I Visit Other/ Births 2	: : : : : : Unknown Percent : : 10 1
Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	1 2 7 0 2 	<.5 1 2 0 1 	*	* 6 .* 1st Tr Bi rths 5 16 53 84 84	86 	*	*  I Visit Other/ Births 2	: : : : : : Unknown Percent : : 10 1 1
Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	1 2 7 0 2 	<.5 1 2 0 1 	*	* 6 .* 1st Tr Bi rths 5 16 53 84 84 24	86 	*	*  I Visit Other/ Births 2	: : : : : : Unknown Percent : : 10 1 1

MORBI DI TY			MOI	RTALLTY	
	Note: Death rates (e neonatal, and Perinatal and	xcept in postneona fetal dea	fant) are   atal death ath rates :	per 100,000 population. rates are per 1,000 live are per 1,000 live birth culated for fewer than 20	Infant, e births. s plus
Di sease Campyl obacter Enteritis Gi ardi asis Hepatitis Type A Hepatitis Type B** Hepatitis NANB/C Legi onnaire's Lyme Measl es Meningitis, Aseptic Meningitis, Bacterial Mumps Pertussis Sal monel losis Shi gel losis Tubercul osis	TOTAL DEATHS Crude Death Rate  Age 1-4 5-14 15-19 20-34 35-54 55-64 65-74 75-84 85+	e Deaths 1 2 2 30 29 75 91 123	355 948 Rate	Selected Underlying Cause Heart Disease (total) Ischemic heart disease Cancer (total) Trachea/Bronchus/Lung Colorectal Female Breast Cerebrovascular Disease Lower Resp. Disease Pneumonia & Influenza Accidents Motor vehicle Diabetes Infect./Parasitic Dis. Suicide	99 264 e 67 179 102 272 20 53 10 . 11 .* e 15 . 17 . 15 . 12 . 5 .
<ul> <li>* 2003 provisional data.</li> <li>** Includes all positive HBsAg test results.</li> </ul>	Infant Mortality Total Infant Neonatal Postneonatal Unknown	Deaths 2 2	Rate	* Based on female popu ALCOHOL AND DRUG ABUSE OR CONTRIBUTING CAUS	AS UNDERLYING
Sexually Transmitted Disease Chlamydia Trachomatis 30 Genital Herpes 17 Gonorrhea <5 Syphilis 0	Race of Mother White Black Hispanic Laotian/Hmong Other/Unknown	2		Al cohol Other Drugs Both Mentioned * Includes tobacco use MOTOR VEHICL	(see page 7).  E CRASHES
Children in Grades K-12 by Compliance Level Compliant 5,831 Non-compliant 19 Percent Compliant 99.7	Birthweight <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown  Perinatal Mortality Total Perinatal Neonatal Fetal	Deaths	Rate	Note: These data are be of crash, not of crash, not of the control	Persons Persons Injured Killed 442 6 53 3 39 1 32 0 16 1

			Average		- 2003 HOSP Charge	TALIZATIONS 		Per	 Average		 Charge
DI SEASE /		1,000	Stay		Per	DI SEASE /		1,000	Stay	Average	Per
AGE GROUP	Number	Pop	(Days)	Charge	Capi ta	AGE GROUP	Number	Pop	(Days)	Charge	Capi ta
I nj ury-Rel ated:	ALI					Al cohol -Rel ated					
Total	407	10. 9	4.8	\$18, 213	\$198	Total	151	4.0	5. 3	\$7, 758	\$31
<18	32	4. 3	3. 2	\$13, 884	\$59	18-44	71	6. 0	4. 5	\$6, 422	\$38
18-44	82	6. 9	3. 8	\$19, 674	\$135	45-64	53	4. 9	4. 4	\$8, 085	\$39
45-64	79	7. 2	5. 2	\$22, 291	\$161	Pneumonia and Ir	nfl uenza			,	
65+	214	30. 0	5. 2	\$16, 795	\$505	Total	191	5. 1	4. 5	\$11, 456	\$58
Injury: Hip F		00.0	J	+ . 0 / 0	4000	<18	18				
Total	59	1. 6	5. 2	\$18, 618	\$29	45-64	27	2. 5	4. 6	\$12,627	\$31
65+	56	7. 9	5. 3	\$18, 815	\$148	65+	142	19. 9	4. 7	\$12,005	\$239
Injury: Poiso				+ /	,	Cerebrovascul ar				· · – /	,
Total	38	1. 0	1. 9	\$7, 890	\$8	Total	141	3.8	3. 5	\$13, 338	\$50
18-44	20	1. 7	2. 1	\$10, 109	\$17	45-64	34	3. 1		\$12, 726	\$40
				, ,	*	65+	106	14. 9	3. 8	\$13, 597	\$202
Psychi atri c						Chronic Obstruct				7	,
Total	302	8. 1	5. 9	\$7, 360	\$59	Total	115	3. 1	3. 5	\$9, 219	\$28
<18	60	8. 0	5. 7	\$6, 127	\$49	<18	19			+ / / = . /	
18-44	150	12. 6	6. 2	\$7, 150	\$90	18-44	8				
45-64	55	5. 0	5. 7	\$8, 147	\$41	45-64	19				
65+	37	5. 2	5. 6	\$9, 043	\$47	65+	69	9. 7	4.3	\$10, 784	\$104
				7 - 7	* * * *	Drug-Rel ated				* * * * * * * * * * * * * * * * * * * *	
Coronary Heart	Di sease					Total	31	0.8	13. 8	\$12, 112	\$10
Total	421	11. 2	3. 4	\$23, 519	\$264	18-44	17			+ ,	
45-64	126	11. 5	2. 7		\$263	10		•	•	•	·
65+	283	39. 7	3. 7	\$23, 784	\$945	Total Hospitaliz	zations				
		0,	<b>0</b> . ,	<del>+</del> =0,	47.0	Total	5, 216	139. 2	3. 9	\$12, 940	\$1,802
Malignant Neopl	asms (Car	ncers):	ALI			<18	576	76. 9	3. 2	\$5, 866	\$451
Total	236	6. 3	5. 7	\$21, 974	\$138	18-44	1, 054	88. 4	3. 3	\$9, 213	\$814
18-44	14			,		45-64	1, 092	100.0	3. 8	\$14, 988	\$1, 499
45-64	71	6. 5	4. 8	\$21, 258	\$138	65+	2, 494	350. 2	4. 4		\$5, 341
65+	151	21. 2	5. 9	\$21, 166	\$449		_,			7 /	, , , , , ,
Neoplasms: Fe	emale Brea	ast (ra	tes for	female po		PRI	EVENTABLE	HOSPI T	ALI ZATI	ONS*	
Total	16					Total	746	19. 9		\$10, 393	\$207
Neoplasms: Co			•	•	-	10	61	8. 1	1. 7	\$4, 290	\$35
Total	35	0. 9	9. 1	\$30, 419	\$28	< 18 18-44 45-64	66	5. 5	2. 5	\$7, 384	\$41
65+	31	4. 4	9. 4		\$138	45-64	146	13. 4		\$10, 503	\$140
Neoplasms: Lu				. = .,		65+	473	66. 4	4. 4	\$11, 566	\$768
Total	18						3			, , 555	+ - 55
Di abetes						* Hospitalizations	for cond	itions	where t	imelv and	effecti ve
Total	52	1. 4	3. 7	\$9, 605	\$13	ambulatory care car	n reduce	the lik	el i hood	of hospi	tal i zati on
65+	25	3. 5	4. 4	\$9, 203	\$32					,	
	23	3. 3		÷ / , 200	+ <b></b>						